

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	11.765
Valid	15	88.235
Total Reported Tests	17	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20220120	ACC-31608	Test Aborted Due To Bearing Failure During Break In.
2	20220126	ACC-31537	Test Aborted Due To Bearing Failure During Break In.

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	2	12
Formulations	1	6
Labs	1	4
Stands	2	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2022	DPBFNL	1	0.7569	2.1194
APR 2022	CLWFNL	1	0.2121	0.5940
APR 2022	ATRWLFNL	1	9.8995	27.7186
All	DPBFNL	6	0.9390	2.6292
All	CLWFNL	6	2.9635	8.2979
All	ATRWLFNL	6	29.2147	81.8012

T12 (CH-4) - Report Period: APR 2022

5

Pass/Fail
DPBFNL <=30.0 CLWFNL <=120

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	15	1	6.667
APR 2022	CH-4 - All Parameters	15	1	6.667
APR 2022	CH-4, ATRWLFNL	15	2	13.333
APR 2022	CH-4, CLWFNL	15	15	100.000
APR 2022	CH-4, DPBFNL	15	10	66.667
All	All Categories, All Parameters	778	224	28.792
All	CH-4 - All Parameters	778	224	28.792
All	CH-4, ATRWLFNL	778	394	50.643
All	CH-4, CLWFNL	778	778	100.000
All	CH-4, DPBFNL	778	421	54.113




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12 (CH-4)

Candidate Precision as Represented by Pooled S

