

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	6.25
Valid	15	93.75
Total Reported Tests	16	100.00

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20230217	ACC-33315	Test Aborted Due To Engine Failure.

Replicate Database Report

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	12
Formulations	.	6
Labs	.	4
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	MACKMER	6	1525.56	4271.58

Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	15	6	40.0000
APR 2023	CJ-4 - All Parameters	15	6	40.0000
APR 2023	CJ-4, MACKMER	15	6	40.0000
All	All Categories, All Parameters	802	333	41.5212
All	CJ-4 - All Parameters	802	333	41.5212
All	CJ-4, MACKMER	802	333	41.5212




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T12

Candidate Precision as Represented by Pooled S

