

T8 - Report Period: OCT 1995
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	4	2.759
Cancelled	8	5.517
Invalid	1	0.690
Special Case. Do Not MTAC	6	4.138
Valid	126	86.897
Total Reported Tests	145	100.000

T8 - Report Period: OCT 1995
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	19950404	RSI-245964	Operationally Invalid,by Lab
2	19950406	RSI-245984	Lab Declaration Astm Special Case,do Not Include Inmtac
3	19950419	RSI-246104	Prior To Completion At Sponsor Request
4	19950420	RSI-246127	Lab Declaration Astm Special Case,do Not Include Inmtac
5	19950428	RSI-246213	Lab Declaration Astm Special Case,do Not Include Inmtac
6	19950523	RSI-246462	Prior To Completion At Sponsor Request
7	19950526	RSI-246525	Prior To Completion At Sponsor Request
8	19950607	RSI-246627	Lab Declaration Astm Special Case,do Not Include Inmtac
9	19950609	RSI-246641	Prior To Completion At Sponsor Request
10	19950721	RSI-247061	Prior To Completion At Sponsor Request
11	19950728	RSI-247115	Operationally Invalid,by Lab
12	19950815	RSI-247280	Prior To Completion At Sponsor Request
13	19950817	RSI-247310	Prior To Completion At Sponsor Request
14	19950818	RSI-247324	Prior To Completion At Sponsor Request
15	19950821	RSI-247348	Operationally Invalid,by Lab
16	19950825	RSI-247397	Lab Declaration Astm Special Case,do Not Include Inmtac
17	19950906	RSI-247514	Operationally Invalid,lab Declares Invalid
18	19950922	RSI-247702	Lab Declaration Astm Special Case,do Not Include Inmtac
19	19950928	RSI-247758	Prior To Completion,reason Being Beyond Control Of The Lab

T8 - Report Period: OCT 1995
Replicate Database Report

Components of Replicate Database	OCT 1995	All Periods
Number of Tests	9	20
Formulations	6	10
Labs	2	5
Stands	6	12

T8 - Report Period: OCT 1995
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 1995	VISI38	3	1.5328	4.2917
OCT 1995	OILCON	3	0.0161	0.0451
OCT 1995	XOILDP	3	5.4772	15.3362
OCT 1995	VISI38 (Without SA)	3	1.5328	4.2917
All	VISI38	10	6.9944	19.5844
All	OILCON	10	0.0231	0.0647
All	XOILDP	10	15.6189	43.7329
All	VISI38 (Without SA)	10	6.9944	19.5844

T8 - Report Period: OCT 1995
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 1995	All Categories, All Parameters	126	70	55.556
OCT 1995	CG-4 - All Parameters	126	70	55.556
OCT 1995	CG-4, OILCON	126	125	99.206
OCT 1995	CG-4, VISI38	126	71	56.349
OCT 1995	CG-4, VISI38 (Without SA)	126	70	55.556
OCT 1995	CG-4, XOILDP	126	126	100.000
All	All Categories, All Parameters	441	256	58.050
All	CG-4 - All Parameters	441	256	58.050
All	CG-4, OILCON	441	437	99.093
All	CG-4, VISI38	441	257	58.277
All	CG-4, VISI38 (Without SA)	441	256	58.050
All	CG-4, XOILDP	441	438	99.320


T8

Status of Reported Tests



T8

Candidate Precision as Represented by Pooled S



T8

Candidate Precision as Represented by Pooled S

