

T8 - Report Period: APR 1996
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Cancelled	2	1.667
Invalid	1	0.833
Special Case. Do Not MTAC	9	7.500
Valid	108	90.000
Total Reported Tests	120	100.000

***T8 - Report Period: APR 1996
Itemized Lost Test Report***

Obs	Date	TESTKEY	REASON
1	19951003	RSI-247821	Lab Declaration Astm Special Case,do Not Include Inmtac
2	19951006	RSI-247861	Lab Declaration Astm Special Case,do Not Include Inmtac
3	19951027	RSI-248143	Operationally Invalid,lab Declares Invalid
4	19951222	RSI-248940	Lab Declaration Astm Special Case,do Not Include Inmtac
5	19960115	RSI-249172	Lab Declaration Astm Special Case,do Not Include Inmtac
6	19960115	RSI-249174	Prior To Completion At Sponsor Request
7	19960126	RSI-249361	Lab Declaration Astm Special Case,do Not Include Inmtac
8	19960131	RSI-249419	Lab Declaration Astm Special Case,do Not Include Inmtac
9	19960229	RSI-249708	Lab Declaration Astm Special Case,do Not Include Inmtac
10	19960315	RSI-249841	Prior To Completion At Sponsor Request
11	19960322	RSI-249897	Lab Declaration Astm Special Case,do Not Include Inmtac
12	19960329	RSI-249944	Lab Declaration Astm Special Case,do Not Include Inmtac

T8 - Report Period: APR 1996
Replicate Database Report

Components of Replicate Database	APR 1996	All Periods
Number of Tests	7	28
Formulations	4	14
Labs	4	8
Stands	6	16

T8 - Report Period: APR 1996
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 1996	VISI38	3	3.1701	8.8762
APR 1996	OILCON	3	0.0532	0.1489
APR 1996	XOILDP	3	26.1693	73.2741
APR 1996	VISI38 (Without SA)	3	3.1701	8.8762
All	VISI38	14	6.1146	17.1208
All	OILCON	14	0.0334	0.0935
All	XOILDP	14	17.9205	50.1773
All	VISI38 (Without SA)	14	6.1146	17.1208

T8 - Report Period: APR 1996
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 1996	All Categories, All Parameters	108	64	59.259
APR 1996	CG-4 - All Parameters	108	64	59.259
APR 1996	CG-4, OILCON	108	108	100.000
APR 1996	CG-4, VISI38	108	64	59.259
APR 1996	CG-4, VISI38 (Without SA)	108	64	59.259
APR 1996	CG-4, XOILDP	108	108	100.000
All	All Categories, All Parameters	549	320	58.288
All	CG-4 - All Parameters	549	320	58.288
All	CG-4, OILCON	549	545	99.271
All	CG-4, VISI38	549	321	58.470
All	CG-4, VISI38 (Without SA)	549	320	58.288
All	CG-4, XOILDP	549	546	99.454


T8

Status of Reported Tests



T8

Candidate Precision as Represented by Pooled S



T8

Candidate Precision as Represented by Pooled S

