

T8 - Report Period: OCT 2009
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	1	10
Valid	9	90
Total Reported Tests	10	100

T8 - Report Period: OCT 2009
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20090807	ACC-2804	Test Was Aborted At 75 Hrs Due To Excessive Oil Consumption

T8 - Report Period: OCT 2009
Replicate Database Report

Components of Replicate Database	OCT 2009	All Periods
Number of Tests	.	66
Formulations	.	33
Labs	.	9
Stands	.	25

T8 - Report Period: OCT 2009
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	33	4.4430	12.4404
All	OILCON	33	0.0383	0.1073
All	VISI38 (Without SA)	33	4.4135	12.3578
All	XOILDP	32	15.0328	42.0918

T8 - Report Period: OCT 2009
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2009	All Categories, All Parameters	9	7	77.778
OCT 2009	CG-4 - All Parameters	9	7	77.778
OCT 2009	CG-4, OILCON	9	8	88.889
OCT 2009	CG-4, VISI38	9	9	100.000
OCT 2009	CG-4, VISI38 (Without SA)	9	9	100.000
OCT 2009	CG-4, XOILDP	9	8	88.889
All	All Categories, All Parameters	1197	820	68.505
All	CG-4 - All Parameters	1197	820	68.505
All	CG-4, OILCON	1197	1187	99.165
All	CG-4, VISI38	1197	840	70.175
All	CG-4, VISI38 (Without SA)	1197	836	69.841
All	CG-4, XOILDP	1197	1166	97.410




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

