

T8 - Report Period: APR 2011
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	4	100
Total Reported Tests	4	100

T8 - Report Period: APR 2011
Replicate Database Report

Components of Replicate Database	APR 2011	All Periods
Number of Tests	.	66
Formulations	.	33
Labs	.	9
Stands	.	25

T8 - Report Period: APR 2011
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	33	4.4430	12.4404
All	OILCON	33	0.0383	0.1073
All	VISI38 (Without SA)	33	4.4135	12.3578
All	XOILDP	32	15.0328	42.0918

T8 - Report Period: APR 2011
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2011	All Categories, All Parameters	4	4	100.000
APR 2011	CG-4 - All Parameters	4	4	100.000
APR 2011	CG-4, OILCON	4	4	100.000
APR 2011	CG-4, VISI38	4	4	100.000
APR 2011	CG-4, VISI38 (Without SA)	4	4	100.000
APR 2011	CG-4, XOILDP	4	4	100.000
All	All Categories, All Parameters	1206	827	68.574
All	CG-4 - All Parameters	1206	827	68.574
All	CG-4, OILCON	1206	1194	99.005
All	CG-4, VISI38	1206	849	70.398
All	CG-4, VISI38 (Without SA)	1206	845	70.066
All	CG-4, XOILDP	1206	1175	97.430




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

