

T8 - Report Period: OCT 2011
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	8	100
Total Reported Tests	8	100

T8 - Report Period: OCT 2011
Replicate Database Report

Components of Replicate Database	OCT 2011	All Periods
Number of Tests	.	66
Formulations	.	33
Labs	.	9
Stands	.	25

T8 - Report Period: OCT 2011
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	33	4.4430	12.4404
All	OILCON	33	0.0383	0.1073
All	VISI38 (Without SA)	33	4.4135	12.3578
All	XOILDP	32	15.0328	42.0918

T8 - Report Period: OCT 2011
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2011	All Categories, All Parameters	8	2	25.0000
OCT 2011	CG-4 - All Parameters	8	2	25.0000
OCT 2011	CG-4, OILCON	8	5	62.5000
OCT 2011	CG-4, VISI38	8	4	50.0000
OCT 2011	CG-4, VISI38 (Without SA)	8	4	50.0000
OCT 2011	CG-4, XOILDP	8	7	87.5000
All	All Categories, All Parameters	1214	829	68.2867
All	CG-4 - All Parameters	1214	829	68.2867
All	CG-4, OILCON	1214	1199	98.7644
All	CG-4, VISI38	1214	853	70.2636
All	CG-4, VISI38 (Without SA)	1214	849	69.9341
All	CG-4, XOILDP	1214	1182	97.3641




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S



Report
Period




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S



Report
Period