

T8 - Report Period: APR 2015
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	16.667
Cancelled	1	8.333
Valid	9	75.000
Total Reported Tests	12	100.000

T8 - Report Period: APR 2015
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20141203	ACC-15176	Test Terminated At Test Hour 227 At Sponsor Request.
2	20141205	ACC-15163	Test Terminated At Test Hour 62 Due To A Combustion Leak In The Engine.
3	20141222	ACC-15333	Test Terminated At Test Hour 122 Due To A Combustion Leak.

T8 - Report Period: APR 2015
Replicate Database Report

Components of Replicate Database	APR 2015	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

T8 - Report Period: APR 2015
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDP	33	14.9180	41.7703

T8 - Report Period: APR 2015
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2015	All Categories, All Parameters	9	5	55.556
APR 2015	CG-4 - All Parameters	9	5	55.556
APR 2015	CG-4, OILCON	9	8	88.889
APR 2015	CG-4, VISI38	9	6	66.667
APR 2015	CG-4, VISI38 (Without SA)	9	7	77.778
APR 2015	CG-4, XOILDP	9	9	100.000
All	All Categories, All Parameters	1254	859	68.501
All	CG-4 - All Parameters	1254	859	68.501
All	CG-4, OILCON	1254	1236	98.565
All	CG-4, VISI38	1254	885	70.574
All	CG-4, VISI38 (Without SA)	1254	882	70.335
All	CG-4, XOILDP	1254	1222	97.448




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

