

T8 - Report Period: OCT 2015
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	1	100
Total Reported Tests	1	100

T8 - Report Period: OCT 2015
Replicate Database Report

Components of Replicate Database	OCT 2015	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

T8 - Report Period: OCT 2015
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDP	33	14.9180	41.7703

T8 - Report Period: OCT 2015
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2015	All Categories, All Parameters	1	1	100.000
OCT 2015	CG-4 - All Parameters	1	1	100.000
OCT 2015	CG-4, OILCON	1	1	100.000
OCT 2015	CG-4, VISI38	1	1	100.000
OCT 2015	CG-4, VISI38 (Without SA)	1	1	100.000
OCT 2015	CG-4, XOILDP	1	1	100.000
All	All Categories, All Parameters	1255	860	68.526
All	CG-4 - All Parameters	1255	860	68.526
All	CG-4, OILCON	1255	1237	98.566
All	CG-4, VISI38	1255	886	70.598
All	CG-4, VISI38 (Without SA)	1255	883	70.359
All	CG-4, XOILDP	1255	1223	97.450




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

