

T8 - Report Period: APR 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	25
Valid	3	75
Total Reported Tests	4	100

T8 - Report Period: APR 2017
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20170117	ACC-19856	Test Terminated At Test Hour 178 At Sponsor Request.

T8 - Report Period: APR 2017
Replicate Database Report

Components of Replicate Database	APR 2017	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

T8 - Report Period: APR 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDP	33	14.9180	41.7703

T8 - Report Period: APR 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2017	All Categories, All Parameters	3	2	66.667
APR 2017	CG-4 - All Parameters	3	2	66.667
APR 2017	CG-4, OILCON	3	2	66.667
APR 2017	CG-4, VISI38	3	3	100.000
APR 2017	CG-4, VISI38 (Without SA)	3	3	100.000
APR 2017	CG-4, XOILDP	3	3	100.000
All	All Categories, All Parameters	1263	867	68.646
All	CG-4 - All Parameters	1263	867	68.646
All	CG-4, OILCON	1263	1244	98.496
All	CG-4, VISI38	1263	894	70.784
All	CG-4, VISI38 (Without SA)	1263	891	70.546
All	CG-4, XOILDP	1263	1231	97.466




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

