

T8 - Report Period: OCT 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

T8 - Report Period: OCT 2017
Replicate Database Report

Components of Replicate Database	OCT 2017	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

T8 - Report Period: OCT 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDP	33	14.9180	41.7703

T8 - Report Period: OCT 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2017	All Categories, All Parameters	2	2	100.000
OCT 2017	CG-4 - All Parameters	2	2	100.000
OCT 2017	CG-4, OILCON	2	2	100.000
OCT 2017	CG-4, VISI38	2	2	100.000
OCT 2017	CG-4, VISI38 (Without SA)	2	2	100.000
OCT 2017	CG-4, XOILDP	2	2	100.000
All	All Categories, All Parameters	1265	869	68.696
All	CG-4 - All Parameters	1265	869	68.696
All	CG-4, OILCON	1265	1246	98.498
All	CG-4, VISI38	1265	896	70.830
All	CG-4, VISI38 (Without SA)	1265	893	70.593
All	CG-4, XOILDP	1265	1233	97.470




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

