

T8 - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	1	100
Total Reported Tests	1	100

T8 - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

T8 - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

3

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILD P	33	14.9180	41.7703

T8 - Report Period: OCT 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	1	0	0.000
OCT 2019	CG-4 - All Parameters	1	0	0.000
OCT 2019	CG-4, OILCON	1	0	0.000
OCT 2019	CG-4, VISI38	1	1	100.000
OCT 2019	CG-4, VISI38 (Without SA)	1	1	100.000
OCT 2019	CG-4, XOILDLP	1	1	100.000
All	All Categories, All Parameters	1267	870	68.666
All	CG-4 - All Parameters	1267	870	68.666
All	CG-4, OILCON	1267	1247	98.421
All	CG-4, VISI38	1267	898	70.876
All	CG-4, VISI38 (Without SA)	1267	895	70.639
All	CG-4, XOILDLP	1267	1235	97.474




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S



Monday, October 7, 2019