

**Status Of Reported Tests**

<b>STATUS</b>	<b>COUNT</b>	<b>PERCENT</b>
Valid	3	100
Total Reported Tests	3	100

**Replicate Database Report**

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

## by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDP	33	14.9180	41.7703


**T8 - Report Period: OCT 2020**

**Pass/Fail**  
**VISI38 <=11.5 OILCON <=0.304 XOILD DP <=138**

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	3	3	100.000
OCT 2020	CG-4 - All Parameters	3	3	100.000
OCT 2020	CG-4, OILCON	3	3	100.000
OCT 2020	CG-4, VISI38	3	3	100.000
OCT 2020	CG-4, VISI38 (Without SA)	3	3	100.000
OCT 2020	CG-4, XOILD DP	3	3	100.000
All	All Categories, All Parameters	1271	874	68.765
All	CG-4 - All Parameters	1271	874	68.765
All	CG-4, OILCON	1271	1251	98.426
All	CG-4, VISI38	1271	902	70.968
All	CG-4, VISI38 (Without SA)	1271	899	70.732
All	CG-4, XOILD DP	1271	1239	97.482

## T8

### Status of Reported Tests





## T8

Candidate Precision as Represented by Pooled S

