

Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	50
Valid	1	50
Total Reported Tests	2	100

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201230	ACC-29550	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDLP	33	14.9180	41.7703

Pass/Fail
OILCON <=0.304 XOILD <=138

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	1	0	0.000
APR 2021	CG-4 - All Parameters	1	0	0.000
APR 2021	CG-4, OILCON	1	1	100.000
APR 2021	CG-4, VISI38	1	0	0.000
APR 2021	CG-4, VISI38 (Without SA)	1	0	0.000
APR 2021	CG-4, XOILD	1	1	100.000
All	All Categories, All Parameters	1274	876	68.760
All	CG-4 - All Parameters	1274	876	68.760
All	CG-4, OILCON	1274	1254	98.430
All	CG-4, VISI38	1274	904	70.958
All	CG-4, VISI38 (Without SA)	1274	901	70.722
All	CG-4, XOILD	1274	1242	97.488




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

