

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDLP	33	14.9180	41.7703

T8 - Report Period: APR 2022**4**

Pass/Fail
VISI38 <=11.5 OILCON <=0.304 XOILD DP <=138

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	2	2	100.000
APR 2022	CG-4 - All Parameters	2	2	100.000
APR 2022	CG-4, OILCON	2	2	100.000
APR 2022	CG-4, VISI38	2	2	100.000
APR 2022	CG-4, VISI38 (Without SA)	2	2	100.000
APR 2022	CG-4, XOILD DP	2	2	100.000
All	All Categories, All Parameters	1277	879	68.833
All	CG-4 - All Parameters	1277	879	68.833
All	CG-4, OILCON	1277	1257	98.434
All	CG-4, VISI38	1277	907	71.026
All	CG-4, VISI38 (Without SA)	1277	904	70.791
All	CG-4, XOILD DP	1277	1245	97.494




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S



■ OILCON

□ VISI38

▨ VISI38 (Without SA)

▩ XOILDLP

Report
Period