

Replicate Database Report

Components of Replicate Database	OCT 2024	All Periods
Number of Tests	.	68
Formulations	.	34
Labs	.	9
Stands	.	25

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	34	4.3883	12.2873
All	OILCON	34	0.0379	0.1060
All	VISI38 (Without SA)	34	4.3561	12.1972
All	XOILDLP	33	14.9180	41.7703

Pass/Fail

VISI38 <=11.5 OILCON <=0.304 XOILD DP <=138

Report Period	API Category	N	Number Passed	% Passed
All	All Categories, All Parameters	1278	880	68.8576
All	CG-4 - All Parameters	1278	880	68.8576
All	CG-4, OILCON	1278	1258	98.4351
All	CG-4, VISI38	1278	908	71.0485
All	CG-4, VISI38 (Without SA)	1278	905	70.8138
All	CG-4, XOILD DP	1278	1246	97.4961

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000


Services provided by:



A Program of ASTM International

T8

Status of Reported Tests



ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000


Services provided by:



A Program of ASTM International

T8

Candidate Precision as Represented by Pooled S



All

APR 2023

Report
Period

■ OILCON

■ VISI38

■ VISI38 (Without SA)

■ XOILDP