

T8E - Report Period: OCT 2008
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	6	100
Total Reported Tests	6	100

T8E - Report Period: OCT 2008
Replicate Database Report

Components of Replicate Database	OCT 2008	All Periods
Number of Tests	.	14
Formulations	.	7
Labs	.	3
Stands	.	7

T8E - Report Period: OCT 2008
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	7	1.07029	2.99682
All	RV48	7	0.46548	1.30334
All	VISI38 (Without SA)	7	0.98041	2.74515
All	RV48 (Without SA)	7	0.46354	1.29792
All	RV2	7	0.03251	0.09104
All	RV2FNL	7	0.03251	0.09104

T8E - Report Period: OCT 2008
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2008	All Categories, All Parameters	6	3	50.0000
OCT 2008	CI-4 - All Parameters	6	3	50.0000
OCT 2008	CI-4, RV2	6	4	66.6667
OCT 2008	CI-4, RV2FNL	6	4	66.6667
OCT 2008	CI-4, RV48	6	4	66.6667
OCT 2008	CI-4, RV48 (Without SA)	6	4	66.6667
OCT 2008	CI-4, VISI38	6	4	66.6667
OCT 2008	CI-4, VISI38 (Without SA)	6	4	66.6667
All	All Categories, All Parameters	343	234	68.2216
All	CI-4 - All Parameters	343	234	68.2216
All	CI-4, RV2	343	298	86.8805
All	CI-4, RV2FNL	343	298	86.8805
All	CI-4, RV48	343	245	71.4286
All	CI-4, RV48 (Without SA)	343	253	73.7609
All	CI-4, VISI38	343	329	95.9184
All	CI-4, VISI38 (Without SA)	343	329	95.9184




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

