

T8E - Report Period: APR 2010
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	7.692
Valid	12	92.308
Total Reported Tests	13	100.000

T8E - Report Period: APR 2010
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20100211	ACC-4487	Test Aborted At 214 Hours Due To High Viscosity Increase And Filter Plugging.

T8E - Report Period: APR 2010
Replicate Database Report

Components of Replicate Database	APR 2010	All Periods
Number of Tests	.	14
Formulations	.	7
Labs	.	3
Stands	.	7

T8E - Report Period: APR 2010
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	7	1.07029	2.99682
All	RV48	7	0.46548	1.30334
All	VISI38 (Without SA)	7	0.98041	2.74515
All	RV48 (Without SA)	7	0.46354	1.29792
All	RV2	7	0.03251	0.09104
All	RV2FNL	7	0.03251	0.09104

T8E - Report Period: APR 2010
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2010	All Categories, All Parameters	12	9	75.000
APR 2010	CI-4 - All Parameters	12	9	75.000
APR 2010	CI-4, RV2	12	9	75.000
APR 2010	CI-4, RV2FNL	12	9	75.000
APR 2010	CI-4, RV48	12	10	83.333
APR 2010	CI-4, RV48 (Without SA)	12	10	83.333
APR 2010	CI-4, VISI38	12	12	100.000
APR 2010	CI-4, VISI38 (Without SA)	12	12	100.000
All	All Categories, All Parameters	380	260	68.421
All	CI-4 - All Parameters	380	260	68.421
All	CI-4, RV2	380	324	85.263
All	CI-4, RV2FNL	380	324	85.263
All	CI-4, RV48	380	272	71.579
All	CI-4, RV48 (Without SA)	380	280	73.684
All	CI-4, VISI38	380	365	96.053
All	CI-4, VISI38 (Without SA)	380	365	96.053




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

