

T8E - Report Period: APR 2014
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	6.25
Cancelled	3	18.75
Valid	12	75.00
Total Reported Tests	16	100.00

T8E - Report Period: APR 2014
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20140116	ACC-13517	Test Terminated At Test Hour 250 At Sponsor Request.
2	20140120	ACC-13550	Test Terminated At Test Hour 15 Due To A Severe Engine Failure.
3	20140312	ACC-13830	Test Terminated At Test Hour 209 At Sponsor Request.
4	20140319	ACC-13863	Test Terminated At Test Hour 273 At Sponsor Request.

T8E - Report Period: APR 2014
Replicate Database Report

Components of Replicate Database	APR 2014	All Periods
Number of Tests	2	16
Formulations	1	8
Labs	2	3
Stands	2	8

T8E - Report Period: APR 2014
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2014	VISI38	1	0.72125	2.01950
APR 2014	RV48	1	0.04243	0.11879
APR 2014	VISI38 (Without SA)	1	0.72125	2.01950
APR 2014	RV48 (Without SA)	1	0.04243	0.11879
APR 2014	RV2	1	0.04950	0.13859
APR 2014	RV2FNL	1	0.04950	0.13859
All	VISI38	8	1.03313	2.89277
All	RV48	8	0.43567	1.21989
All	VISI38 (Without SA)	8	0.95188	2.66527
All	RV48 (Without SA)	8	0.43386	1.21482
All	RV2	8	0.03509	0.09825
All	RV2FNL	8	0.03509	0.09825

T8E - Report Period: APR 2014
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2014	All Categories, All Parameters	12	4	33.3333
APR 2014	CI-4 - All Parameters	12	4	33.3333
APR 2014	CI-4, RV2	12	4	33.3333
APR 2014	CI-4, RV2FNL	12	4	33.3333
APR 2014	CI-4, RV48	12	4	33.3333
APR 2014	CI-4, RV48 (Without SA)	12	4	33.3333
APR 2014	CI-4, VISI38	12	9	75.0000
APR 2014	CI-4, VISI38 (Without SA)	12	9	75.0000
All	All Categories, All Parameters	477	310	64.9895
All	CI-4 - All Parameters	477	310	64.9895
All	CI-4, RV2	477	374	78.4067
All	CI-4, RV2FNL	477	374	78.4067
All	CI-4, RV48	477	325	68.1342
All	CI-4, RV48 (Without SA)	477	335	70.2306
All	CI-4, VISI38	477	444	93.0818
All	CI-4, VISI38 (Without SA)	477	444	93.0818




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

