

T8E - Report Period: OCT 2018
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	25
Valid	6	75
Total Reported Tests	8	100

T8E - Report Period: OCT 2018
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20180412	ACC-22643	Test Aborted At 198 Hours Due To Loss Of Oil Charge.
2	20180914	ACC-23739	Aborted At 219 Hours Due To Rod Bearing Failure

T8E - Report Period: OCT 2018
Replicate Database Report

Components of Replicate Database	OCT 2018	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

T8E - Report Period: OCT 2018
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605

T8E - Report Period: OCT 2018
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2018	All Categories, All Parameters	6	4	66.667
OCT 2018	CI-4 - All Parameters	6	4	66.667
OCT 2018	CI-4, RV2	6	5	83.333
OCT 2018	CI-4, RV2FNL	6	4	66.667
OCT 2018	CI-4, RV48	6	5	83.333
OCT 2018	CI-4, RV48 (Without SA)	6	6	100.000
OCT 2018	CI-4, VISI38	6	6	100.000
OCT 2018	CI-4, VISI38 (Without SA)	6	6	100.000
All	All Categories, All Parameters	564	360	63.830
All	CI-4 - All Parameters	564	360	63.830
All	CI-4, RV2	564	431	76.418
All	CI-4, RV2FNL	564	424	75.177
All	CI-4, RV48	564	382	67.730
All	CI-4, RV48 (Without SA)	564	394	69.858
All	CI-4, VISI38	564	526	93.262
All	CI-4, VISI38 (Without SA)	564	527	93.440




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

