

T8E - Report Period: APR 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	5	100
Total Reported Tests	5	100

T8E - Report Period: APR 2019
Replicate Database Report

Components of Replicate Database	APR 2019	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

T8E - Report Period: APR 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605

T8E - Report Period: APR 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2019	All Categories, All Parameters	5	0	0.0000
APR 2019	CI-4 - All Parameters	5	0	0.0000
APR 2019	CI-4, RV2	5	1	20.0000
APR 2019	CI-4, RV2FNL	5	0	0.0000
APR 2019	CI-4, RV48	5	1	20.0000
APR 2019	CI-4, RV48 (Without SA)	5	1	20.0000
APR 2019	CI-4, VISI38	5	4	80.0000
APR 2019	CI-4, VISI38 (Without SA)	5	4	80.0000
All	All Categories, All Parameters	569	360	63.2689
All	CI-4 - All Parameters	569	360	63.2689
All	CI-4, RV2	569	432	75.9227
All	CI-4, RV2FNL	569	424	74.5167
All	CI-4, RV48	569	383	67.3111
All	CI-4, RV48 (Without SA)	569	395	69.4200
All	CI-4, VISI38	569	530	93.1459
All	CI-4, VISI38 (Without SA)	569	531	93.3216




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

