

T8E - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	9	100
Total Reported Tests	9	100

T8E - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

T8E - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605

T8E - Report Period: OCT 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	9	7	77.778
OCT 2019	CI-4 - All Parameters	9	7	77.778
OCT 2019	CI-4, RV2	9	7	77.778
OCT 2019	CI-4, RV2FNL	9	7	77.778
OCT 2019	CI-4, RV48	9	8	88.889
OCT 2019	CI-4, RV48 (Without SA)	9	8	88.889
OCT 2019	CI-4, VISI38	9	9	100.000
OCT 2019	CI-4, VISI38 (Without SA)	9	9	100.000
All	All Categories, All Parameters	578	367	63.495
All	CI-4 - All Parameters	578	367	63.495
All	CI-4, RV2	578	439	75.952
All	CI-4, RV2FNL	578	431	74.567
All	CI-4, RV48	578	391	67.647
All	CI-4, RV48 (Without SA)	578	403	69.723
All	CI-4, VISI38	578	539	93.253
All	CI-4, VISI38 (Without SA)	578	540	93.426




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

