

Status Of Reported Tests

STATUS	COUNT	PERCENT
Invalid	1	14.286
Valid	6	85.714
Total Reported Tests	7	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20200715	ACC-28480	No Explanation Available

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605

Pass/Fail

VISI38 <=11.5 RV48 <=1.8 RV2 <=1.8 RV2FNL <=1.8

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	6	4	66.667
OCT 2020	CI-4 - All Parameters	6	4	66.667
OCT 2020	CI-4, RV2	6	4	66.667
OCT 2020	CI-4, RV2FNL	6	4	66.667
OCT 2020	CI-4, RV48	6	4	66.667
OCT 2020	CI-4, RV48 (Without SA)	6	4	66.667
OCT 2020	CI-4, VISI38	6	6	100.000
OCT 2020	CI-4, VISI38 (Without SA)	6	6	100.000
All	All Categories, All Parameters	590	373	63.220
All	CI-4 - All Parameters	590	373	63.220
All	CI-4, RV2	590	445	75.424
All	CI-4, RV2FNL	590	437	74.068
All	CI-4, RV48	590	397	67.288
All	CI-4, RV48 (Without SA)	590	410	69.492
All	CI-4, VISI38	590	550	93.220
All	CI-4, VISI38 (Without SA)	590	551	93.390




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

