

Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	12.5
Special Case. Do Not MTAC	1	12.5
Valid	6	75.0
Total Reported Tests	8	100.0

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201214	ACC-29446	No Explanation Available
2	20201229	ACC-29545	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605


Pass/Fail

VISI38 <=11.5 RV48 <=1.8 RV2 <=1.8 RV2FNL <=1.8

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	6	2	33.3333
APR 2021	CI-4 - All Parameters	6	2	33.3333
APR 2021	CI-4, RV2	6	2	33.3333
APR 2021	CI-4, RV2FNL	6	2	33.3333
APR 2021	CI-4, RV48	6	2	33.3333
APR 2021	CI-4, RV48 (Without SA)	6	2	33.3333
APR 2021	CI-4, VISI38	6	5	83.3333
APR 2021	CI-4, VISI38 (Without SA)	6	5	83.3333
All	All Categories, All Parameters	597	376	62.9816
All	CI-4 - All Parameters	597	376	62.9816
All	CI-4, RV2	597	448	75.0419
All	CI-4, RV2FNL	597	440	73.7018
All	CI-4, RV48	597	400	67.0017
All	CI-4, RV48 (Without SA)	597	413	69.1792
All	CI-4, VISI38	597	556	93.1323
All	CI-4, VISI38 (Without SA)	597	557	93.2998

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

