

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	9	100
Total Reported Tests	9	100

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605

Pass/Fail

VISI38 <=11.5 RV48 <=1.8 RV2 <=1.8 RV2FNL <=1.8

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	9	7	77.778
APR 2022	CI-4 - All Parameters	9	7	77.778
APR 2022	CI-4, RV2	9	7	77.778
APR 2022	CI-4, RV2FNL	9	7	77.778
APR 2022	CI-4, RV48	9	7	77.778
APR 2022	CI-4, RV48 (Without SA)	9	7	77.778
APR 2022	CI-4, VISI38	9	9	100.000
APR 2022	CI-4, VISI38 (Without SA)	9	9	100.000
All	All Categories, All Parameters	613	387	63.132
All	CI-4 - All Parameters	613	387	63.132
All	CI-4, RV2	613	459	74.878
All	CI-4, RV2FNL	613	451	73.573
All	CI-4, RV48	613	411	67.047
All	CI-4, RV48 (Without SA)	613	424	69.168
All	CI-4, VISI38	613	571	93.148
All	CI-4, VISI38 (Without SA)	613	572	93.312




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

