

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	3	100
Total Reported Tests	3	100

Replicate Database Report

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	18
Formulations	.	9
Labs	.	3
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	9	1.30741	3.66075
All	RV48	9	0.47125	1.31950
All	VISI38 (Without SA)	9	1.25138	3.50387
All	RV48 (Without SA)	9	0.46976	1.31534
All	RV2	9	0.24502	0.68605
All	RV2FNL	9	0.24502	0.68605

T8E - Report Period: APR 2023

4

Pass/Fail

VISI38 <=11.5 RV48 <=1.8 RV2 <=1.8 RV2FNL <=1.8

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	3	2	66.667
APR 2023	CI-4 - All Parameters	3	2	66.667
APR 2023	CI-4, RV2	3	2	66.667
APR 2023	CI-4, RV2FNL	3	2	66.667
APR 2023	CI-4, RV48	3	2	66.667
APR 2023	CI-4, RV48 (Without SA)	3	2	66.667
APR 2023	CI-4, VISI38	3	3	100.000
APR 2023	CI-4, VISI38 (Without SA)	3	3	100.000
All	All Categories, All Parameters	619	392	63.328
All	CI-4 - All Parameters	619	392	63.328
All	CI-4, RV2	619	464	74.960
All	CI-4, RV2FNL	619	456	73.667
All	CI-4, RV48	619	416	67.205
All	CI-4, RV48 (Without SA)	619	429	69.305
All	CI-4, VISI38	619	577	93.215
All	CI-4, VISI38 (Without SA)	619	578	93.376




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8E

Candidate Precision as Represented by Pooled S

