

IIIF - Report Period: OCT 2014
Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	1.724
Special Case. Do Not MTAC	1	1.724
Valid	56	96.552
Total Reported Tests	58	100.000

IIIF - Report Period: OCT 2014
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20140825	ACC-14534	Test Was Declared Non-Interpretable Due To Oil Consumption.
2	20140930	ACC-14711	Test Terminated At Test Hour 65 At Sponsor Request. Test Unintentionally Registered.

IIIF - Report Period: OCT 2014
Replicate Database Report

Components of Replicate Database	OCT 2014	All Periods
Number of Tests	.	112
Formulations	.	48
Labs	.	4
Stands	.	19

IIIF - Report Period: OCT 2014
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	PVIS	64	0.02100	0.05880
All	WPD	64	0.64669	1.81074
All	APV	64	0.26062	0.72975
All	SACLW	64	3.39903	9.51728
All	PVIS (Without SA)	64	0.02116	0.05926
All	WPD (Without SA)	64	0.63554	1.77952
All	APV (Without SA)	64	0.25644	0.71804
All	SACLW (Without SA)	64	2.49354	6.98192

IIIF - Report Period: OCT 2014
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2014	All Categories, All Parameters	56	31	55.3571
OCT 2014	SL - All Parameters	56	31	55.3571
OCT 2014	SL, APV	56	52	92.8571
OCT 2014	SL, APV (Without SA)	56	55	98.2143
OCT 2014	SL, PVIS	56	45	80.3571
OCT 2014	SL, PVIS (Without SA)	56	45	80.3571
OCT 2014	SL, SACLW	56	54	96.4286
OCT 2014	SL, SACLW (Without SA)	56	54	96.4286
OCT 2014	SL, STUCK_RINGS	56	46	82.1429
OCT 2014	SL, WPD	56	45	80.3571
OCT 2014	SL, WPD (Without SA)	56	45	80.3571
All	All Categories, All Parameters	2584	1318	51.0062
All	SL - All Parameters	2584	1318	51.0062
All	SL, APV	2584	2219	85.8746
All	SL, APV (Without SA)	2584	2279	88.1966
All	SL, PVIS	2584	1791	69.3111
All	SL, PVIS (Without SA)	2584	1765	68.3050
All	SL, SACLW	2584	2487	96.2461
All	SL, SACLW (Without SA)	2584	2520	97.5232
All	SL, STUCK_RINGS	2584	2514	97.2910
All	SL, WPD	2584	2040	78.9474
All	SL, WPD (Without SA)	2584	2018	78.0960




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIF

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIF

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIF

Candidate Precision as Represented by Pooled S

