

III GB - Report Period: APR 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	5.405
Valid	35	94.595
Total Reported Tests	37	100.000

III GB - Report Period: APR 2017
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20161116	ACC-19434	Test Terminated At 99.64 Hours Due To Inability To Maintain Load.
2	20170106	ACC-19795	Test Terminated At 40 Hours Due To Exceeding The Maximum Allowable Downtime.

III GB - Report Period: APR 2017
Replicate Database Report

Components of Replicate Database	APR 2017	All Periods
Number of Tests	.	61
Formulations	.	29
Labs	.	6
Stands	.	16

IIIGB - Report Period: APR 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	PHOS	32	1.63876	4.58854
All	PHOS (Without SA)	32	1.53981	4.31147

III GB - Report Period: APR 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2017	All Categories, All Parameters	35	31	88.5714
APR 2017	SN - All Parameters	35	31	88.5714
APR 2017	SN, PHOS	35	31	88.5714
APR 2017	SN, PHOS (Without SA)	35	31	88.5714
All	All Categories, All Parameters	1512	1392	92.0635
All	SN - All Parameters	1512	1392	92.0635
All	SN, PHOS	1512	1392	92.0635
All	SN, PHOS (Without SA)	1512	1266	83.7302




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S

