

IIIGB - Report Period: OCT 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	14.286
Valid	6	85.714
Total Reported Tests	7	100.000

IIIGB - Report Period: OCT 2017
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20170504	ACC-20398	Test Terminated At Test Hour 21 At Sponsor Request.

IIIGB - Report Period: OCT 2017
Replicate Database Report

Components of Replicate Database	OCT 2017	All Periods
Number of Tests	.	61
Formulations	.	29
Labs	.	6
Stands	.	16

IIIGB - Report Period: OCT 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	PHOS	32	1.63876	4.58854
All	PHOS (Without SA)	32	1.53981	4.31147

IIIGB - Report Period: OCT 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2017	All Categories, All Parameters	6	6	100.000
OCT 2017	SN - All Parameters	6	6	100.000
OCT 2017	SN, PHOS	6	6	100.000
OCT 2017	SN, PHOS (Without SA)	6	6	100.000
All	All Categories, All Parameters	1518	1398	92.095
All	SN - All Parameters	1518	1398	92.095
All	SN, PHOS	1518	1398	92.095
All	SN, PHOS (Without SA)	1518	1272	83.794




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S

