

III GB - Report Period: OCT 2018
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	2	100
Total Reported Tests	2	100

IIIIGB - Report Period: OCT 2018
Replicate Database Report

Components of Replicate Database	OCT 2018	All Periods
Number of Tests	.	61
Formulations	.	29
Labs	.	6
Stands	.	16

IIIIGB - Report Period: OCT 2018
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	PHOS	32	1.63876	4.58854
All	PHOS (Without SA)	32	1.53981	4.31147

IIIIGB - Report Period: OCT 2018
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2018	All Categories, All Parameters	2	2	100.000
OCT 2018	SN - All Parameters	2	2	100.000
OCT 2018	SN, PHOS	2	2	100.000
OCT 2018	SN, PHOS (Without SA)	2	2	100.000
All	All Categories, All Parameters	1530	1410	92.157
All	SN - All Parameters	1530	1410	92.157
All	SN, PHOS	1530	1410	92.157
All	SN, PHOS (Without SA)	1530	1284	83.922



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S

