

IIIH - Report Period: APR 2021
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	2.041
Valid	96	97.959
Total Reported Tests	98	100.000

IIH - Report Period: APR 2021
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201110	ACC-29049	No Explanation Available
2	20210107	ACC-29524	No Explanation Available

IIH - Report Period: APR 2021
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	4
Stands	.	7

IIH - Report Period: APR 2021
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	WPD	7	0.33077	0.92616
All	PVIS	7	0.80561	2.25570
All	WPD (Without SA)	7	0.37650	1.05419
All	PVIS (Without SA)	7	0.86324	2.41707

IIH - Report Period: APR 2021
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Pass/Fail
WPD >=4.2

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	96	48	50.0000
APR 2021	SP - All Parameters	96	48	50.0000
APR 2021	SP, PVIS	96	68	70.8333
APR 2021	SP, PVIS (Without SA)	96	71	73.9583
APR 2021	SP, WPD	96	65	67.7083
APR 2021	SP, WPD (Without SA)	96	62	64.5833
All	All Categories, All Parameters	1125	667	59.2889
All	SP - All Parameters	1125	667	59.2889
All	SP, PVIS	1125	953	84.7111
All	SP, PVIS (Without SA)	1125	985	87.5556
All	SP, WPD	1125	727	64.6222
All	SP, WPD (Without SA)	1125	758	67.3778



Monitoring Agency


6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIH

Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIH

Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Candidate Precision as Represented by Pooled S

