

IIH - Report Period: APR 2019
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	1.471
Invalid	1	0.735
Valid	133	97.794
Total Reported Tests	136	100.000

IIH - Report Period: APR 2019
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20181106	ACC-24141	No Explanation Available
2	20181108	ACC-24197	Test Was Terminated At 60 Hours Due To A Computer Glitch, And Our Daq System Losing About 2.5 Hours Of Operational Data.
3	20190228	ACC-24851	This Test Is Not Acceptable Because The Stand Was Out Of Reference Calibration When This Test Was Conducted.

IIH - Report Period: APR 2019
Replicate Database Report

Components of Replicate Database	APR 2019	All Periods
Number of Tests	.	11
Formulations	.	5
Labs	.	3
Stands	.	6

IIH - Report Period: APR 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	WPD	6	0.35530	0.99483
All	PVIS	6	0.86319	2.41693
All	WPD (Without SA)	6	0.40465	1.13302
All	PVIS (Without SA)	6	0.93071	2.60598

IIH - Report Period: APR 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2019	All Categories, All Parameters	133	15	11.2782
APR 2019	ILSAC - All Parameters	133	15	11.2782
APR 2019	ILSAC, PVIS	133	116	87.2180
APR 2019	ILSAC, PVIS (Without SA)	133	122	91.7293
APR 2019	ILSAC, WPD	133	17	12.7820
APR 2019	ILSAC, WPD (Without SA)	133	25	18.7970
All	All Categories, All Parameters	637	131	20.5651
All	ILSAC - All Parameters	637	131	20.5651
All	ILSAC, PVIS	637	530	83.2025
All	ILSAC, PVIS (Without SA)	637	554	86.9702
All	ILSAC, WPD	637	138	21.6641
All	ILSAC, WPD (Without SA)	637	160	25.1177




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIH

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIH

Candidate Precision as Represented by Pooled S



Thursday, May 23, 2019