

IIIH - Report Period: APR 2020
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	1.538
Valid	128	98.462
Total Reported Tests	130	100.000

IIH - Report Period: APR 2020
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20191114	ACC-26952	No Explanation Available
2	20200220	ACC-27677	No Explanation Available

IIH - Report Period: APR 2020
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Replicate Database Report

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	4
Stands	.	7

IIH - Report Period: APR 2020
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	WPD	7	0.33077	0.92616
All	PVIS	7	0.80561	2.25570
All	WPD (Without SA)	7	0.37650	1.05419
All	PVIS (Without SA)	7	0.86324	2.41707

IIH - Report Period: APR 2020
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Pass/Fail
WPD >=4.2 PVIS <=100.0

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	128	93	72.6563
APR 2020	SP - All Parameters	128	93	72.6563
APR 2020	SP, PVIS	128	120	93.7500
APR 2020	SP, PVIS (Without SA)	128	121	94.5313
APR 2020	SP, WPD	128	96	75.0000
APR 2020	SP, WPD (Without SA)	128	98	76.5625
All	All Categories, All Parameters	934	569	60.9208
All	SP - All Parameters	934	569	60.9208
All	SP, PVIS	934	813	87.0450
All	SP, PVIS (Without SA)	934	840	89.9358
All	SP, WPD	934	603	64.5610
All	SP, WPD (Without SA)	934	629	67.3448



Monitoring Agency


6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIH

Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIH

Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Candidate Precision as Represented by Pooled S

