

Status Of Reported Tests

STATUS	COUNT	PERCENT
Undefined RSI Validity Code - VF	1	1.042
Valid	95	98.958
Total Reported Tests	96	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20200630	ACC-28429	No Explanation Available

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	15
Formulations	.	7
Labs	.	4
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TESTLEN	8	0	0

Pass/Fail
MRV >=0 TESTLEN >0

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	95	93	97.895
OCT 2020	TMC - All Parameters	95	93	97.895
OCT 2020	TMC, MRV	95	93	97.895
OCT 2020	TMC, MRV (Without SA)	95	93	97.895
OCT 2020	TMC, TESTLEN	95	95	100.000
All	All Categories, All Parameters	1293	1185	91.647
All	TMC - All Parameters	1293	1185	91.647
All	TMC, MRV	1293	1185	91.647
All	TMC, MRV (Without SA)	1293	1186	91.725
All	TMC, TESTLEN	1293	1293	100.000




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIHA

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIHA

Candidate Precision as Represented by Pooled S

