

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	1.190
Valid	83	98.810
Total Reported Tests	84	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20220209	ACC-31653	Test Aborted Due To Catastrophic Engine Failure.

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	17
Formulations	.	8
Labs	.	4
Stands	.	9

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TESTLEN	9	0	0

Pass/Fail
MRV >=0 TESTLEN >0

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	83	80	96.386
APR 2022	TMC - All Parameters	83	80	96.386
APR 2022	TMC, MRV	83	80	96.386
APR 2022	TMC, MRV (Without SA)	83	80	96.386
APR 2022	TMC, TESTLEN	83	83	100.000
All	All Categories, All Parameters	1657	1526	92.094
All	TMC - All Parameters	1657	1526	92.094
All	TMC, MRV	1657	1527	92.154
All	TMC, MRV (Without SA)	1657	1529	92.275
All	TMC, TESTLEN	1657	1656	99.940




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIIHA

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIHA

Candidate Precision as Represented by Pooled S

