

IVA - Report Period: OCT 2010
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	59	100
Total Reported Tests	59	100

IVA - Report Period: OCT 2010
Replicate Database Report

Components of Replicate Database	OCT 2010	All Periods
Number of Tests	2	78
Formulations	1	36
Labs	2	6
Stands	2	22

IVA - Report Period: OCT 2010
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2010	ACW	1	0.7566	2.1185
OCT 2010	ACW (Without SA)	1	0.7566	2.1185
All	ACW	42	30.2348	84.6573
All	ACW (Without SA)	42	31.1644	87.2603

IVA - Report Period: OCT 2010
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2010	All Categories, All Parameters	59	47	79.6610
OCT 2010	GF-4_GF-5 - All Parameters	59	47	79.6610
OCT 2010	GF-4_GF-5, ACW	59	47	79.6610
OCT 2010	GF-4_GF-5, ACW (Without SA)	59	45	76.2712
OCT 2010	SL - All Parameters	59	54	91.5254
OCT 2010	SL, ACW	59	54	91.5254
OCT 2010	SL, ACW (Without SA)	59	54	91.5254
All	All Categories, All Parameters	1523	1010	66.3165
All	GF-4_GF-5 - All Parameters	1523	1010	66.3165
All	GF-4_GF-5, ACW	1523	1010	66.3165
All	GF-4_GF-5, ACW (Without SA)	1523	1011	66.3821
All	SL - All Parameters	1523	1229	80.6960
All	SL, ACW	1523	1229	80.6960
All	SL, ACW (Without SA)	1523	1237	81.2213




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

