

IVA - Report Period: APR 2012
Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	1.818
Invalid	1	1.818
Valid	53	96.364
Total Reported Tests	55	100.000

IVA - Report Period: APR 2012
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20111101	ACC-8886	Test Was Terminated At Test Hour 67 Per Sponsor's Request.
2	20120206	ACC-9401	Test Declared Invalid By The Lab Due To Improper Oil Temperature Transition.

IVA - Report Period: APR 2012
Replicate Database Report

Components of Replicate Database	APR 2012	All Periods
Number of Tests	2	82
Formulations	1	38
Labs	2	6
Stands	2	23

IVA - Report Period: APR 2012
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2012	ACW	1	60.6485	169.816
APR 2012	ACW (Without SA)	1	44.9791	125.941
All	ACW	44	30.9227	86.584
All	ACW (Without SA)	44	31.1942	87.344

IVA - Report Period: APR 2012
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2012	All Categories, All Parameters	53	43	81.1321
APR 2012	GF-4_GF-5 - All Parameters	53	43	81.1321
APR 2012	GF-4_GF-5, ACW	53	43	81.1321
APR 2012	GF-4_GF-5, ACW (Without SA)	53	44	83.0189
APR 2012	SL - All Parameters	53	46	86.7925
APR 2012	SL, ACW	53	46	86.7925
APR 2012	SL, ACW (Without SA)	53	46	86.7925
All	All Categories, All Parameters	1682	1135	67.4792
All	GF-4_GF-5 - All Parameters	1682	1135	67.4792
All	GF-4_GF-5, ACW	1682	1135	67.4792
All	GF-4_GF-5, ACW (Without SA)	1682	1137	67.5981
All	SL - All Parameters	1682	1370	81.4507
All	SL, ACW	1682	1370	81.4507
All	SL, ACW (Without SA)	1682	1378	81.9263




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

