

IVA - Report Period: OCT 2014
Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	42	100
Total Reported Tests	42	100

IVA - Report Period: OCT 2014
Replicate Database Report

Components of Replicate Database	OCT 2014	All Periods
Number of Tests	1	111
Formulations	1	50
Labs	1	6
Stands	1	23

IVA - Report Period: OCT 2014
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2014	ACW	0	0.0000	0.0000
OCT 2014	ACW (Without SA)	0	0.0000	0.0000
All	ACW	61	27.8085	77.8637
All	ACW (Without SA)	61	28.0633	78.5774

IVA - Report Period: OCT 2014
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2014	All Categories, All Parameters	42	34	80.9524
OCT 2014	SN - All Parameters	42	34	80.9524
OCT 2014	SN, ACW	42	34	80.9524
OCT 2014	SN, ACW (Without SA)	42	34	80.9524
All	All Categories, All Parameters	2033	1365	67.1422
All	SN - All Parameters	2033	1365	67.1422
All	SN, ACW	2033	1365	67.1422
All	SN, ACW (Without SA)	2033	1366	67.1913




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S



Report
Period



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

