

IVA - Report Period: APR 2016
Status Of Reported Tests

STATUS	COUNT	PERCENT
Invalid	1	2.222
Valid	44	97.778
Total Reported Tests	45	100.000

IVA - Report Period: APR 2016
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20160208	ACC-17817	Test Declared Invalid Due To A Data Acquisition Failure,

IVA - Report Period: APR 2016
Replicate Database Report

Components of Replicate Database	APR 2016	All Periods
Number of Tests	3	118
Formulations	3	52
Labs	2	6
Stands	3	23

IVA - Report Period: APR 2016
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2016	ACW	0	0.0000	0.0000
APR 2016	ACW (Without SA)	0	0.0000	0.0000
All	ACW	66	26.7730	74.9644
All	ACW (Without SA)	66	27.0214	75.6601

IVA - Report Period: APR 2016
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2016	All Categories, All Parameters	44	39	88.6364
APR 2016	SN - All Parameters	44	39	88.6364
APR 2016	SN, ACW	44	39	88.6364
APR 2016	SN, ACW (Without SA)	44	39	88.6364
All	All Categories, All Parameters	2164	1469	67.8835
All	SN - All Parameters	2164	1469	67.8835
All	SN, ACW	2164	1469	67.8835
All	SN, ACW (Without SA)	2164	1470	67.9298




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S



Report
Period