

IVA - Report Period: OCT 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	4.762
Cancelled	1	2.381
Invalid	1	2.381
Valid	38	90.476
Total Reported Tests	42	100.000

IVA - Report Period: OCT 2017
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20170404	ACC-20241	Test Declared In Valid Due To Incorrect Oil Change.
2	20170613	ACC-20654	Test Terminated At 20 Hours Due To Loss Of Oil Pressure. The Camshaft Plug At The Rear Of The Cam Came Off And Pressure Was Lost.
3	20170613	ACC-20651	Test Terminated At 0 Hours Due To Loss Of Oil Pressure.
4	20170928	ACC-21294	This Test Was Terminated At 0 Hours Per Client Request.

IVA - Report Period: OCT 2017
Replicate Database Report

Components of Replicate Database	OCT 2017	All Periods
Number of Tests	1	120
Formulations	1	52
Labs	1	6
Stands	1	23

IVA - Report Period: OCT 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2017	ACW	0	0.0000	0.0000
OCT 2017	ACW (Without SA)	0	0.0000	0.0000
All	ACW	68	26.3847	73.8773
All	ACW (Without SA)	68	26.6388	74.5885

IVA - Report Period: OCT 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2017	All Categories, All Parameters	38	28	73.6842
OCT 2017	SN - All Parameters	38	28	73.6842
OCT 2017	SN, ACW	38	28	73.6842
OCT 2017	SN, ACW (Without SA)	38	28	73.6842
All	All Categories, All Parameters	2299	1564	68.0296
All	SN - All Parameters	2299	1564	68.0296
All	SN, ACW	2299	1564	68.0296
All	SN, ACW (Without SA)	2299	1565	68.0731




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

