

IVA - Report Period: OCT 2018
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	4.167
Valid	23	95.833
Total Reported Tests	24	100.000

IVA - Report Period: OCT 2018
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20180531	ACC-22983	Test Terminated At Startup. Test Operated At Conditions Far Outside The Procedure Specifications Due To A Programming Error.

IVA - Report Period: OCT 2018
Replicate Database Report

Components of Replicate Database	OCT 2018	All Periods
Number of Tests	.	120
Formulations	.	52
Labs	.	6
Stands	.	23

IVA - Report Period: OCT 2018
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACW	68	26.3847	73.8773
All	ACW (Without SA)	68	26.6388	74.5885

IVA - Report Period: OCT 2018
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2018	All Categories, All Parameters	23	21	91.3043
OCT 2018	SN - All Parameters	23	21	91.3043
OCT 2018	SN, ACW	23	21	91.3043
OCT 2018	SN, ACW (Without SA)	23	21	91.3043
All	All Categories, All Parameters	2371	1622	68.4100
All	SN - All Parameters	2371	1622	68.4100
All	SN, ACW	2371	1622	68.4100
All	SN, ACW (Without SA)	2371	1623	68.4521




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

