

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	15	100
Total Reported Tests	15	100

Replicate Database Report

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	126
Formulations	.	55
Labs	.	6
Stands	.	24

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACW	71	30.2592	84.7258
All	ACW (Without SA)	71	30.7364	86.0618

Pass/Fail
ACW <=90

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	15	11	73.3333
APR 2020	SN - All Parameters	15	11	73.3333
APR 2020	SN, ACW	15	11	73.3333
APR 2020	SN, ACW (Without SA)	15	11	73.3333
All	All Categories, All Parameters	2446	1678	68.6018
All	SN - All Parameters	2446	1678	68.6018
All	SN, ACW	2446	1678	68.6018
All	SN, ACW (Without SA)	2446	1682	68.7653




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

