

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	25	100
Total Reported Tests	25	100

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	126
Formulations	.	55
Labs	.	6
Stands	.	24

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACW	71	30.2592	84.7258
All	ACW (Without SA)	71	30.7364	86.0618

Pass/Fail
ACW <=90

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	25	23	92.0000
APR 2021	SN - All Parameters	25	23	92.0000
APR 2021	SN, ACW	25	23	92.0000
APR 2021	SN, ACW (Without SA)	25	24	96.0000
All	All Categories, All Parameters	2486	1711	68.8254
All	SN - All Parameters	2486	1711	68.8254
All	SN, ACW	2486	1711	68.8254
All	SN, ACW (Without SA)	2486	1716	69.0265




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVA

Candidate Precision as Represented by Pooled S

