

**Status Of Reported Tests**

STATUS	COUNT	PERCENT
Valid	24	100
Total Reported Tests	24	100

**Replicate Database Report**

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	128
Formulations	.	56
Labs	.	6
Stands	.	24

**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACW	72	30.2064	84.5779
All	ACW (Without SA)	72	30.6778	85.8978

**Pass/Fail**  
**ACW <=90**

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	24	19	79.1667
APR 2022	SN - All Parameters	24	19	79.1667
APR 2022	SN, ACW	24	19	79.1667
APR 2022	SN, ACW (Without SA)	24	19	79.1667
All	All Categories, All Parameters	2534	1749	69.0213
All	SN - All Parameters	2534	1749	69.0213
All	SN, ACW	2534	1749	69.0213
All	SN, ACW (Without SA)	2534	1756	69.2976




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## IVA

### Status of Reported Tests





# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## IVA

Candidate Precision as Represented by Pooled S

