

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	8	100
Total Reported Tests	8	100

Replicate Database Report

Components of Replicate Database	OCT 2024	All Periods
Number of Tests	.	128
Formulations	.	56
Labs	.	6
Stands	.	24

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACW	72	30.2064	84.5779
All	ACW (Without SA)	72	30.6778	85.8978

Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2024	All Categories, All Parameters	8	5	62.5000
OCT 2024	SN - All Parameters	8	5	62.5000
OCT 2024	SN, ACW	8	5	62.5000
OCT 2024	SN, ACW (Without SA)	8	4	50.0000
All	All Categories, All Parameters	2576	1779	69.0606
All	SN - All Parameters	2576	1779	69.0606
All	SN, ACW	2576	1779	69.0606
All	SN, ACW (Without SA)	2576	1784	69.2547

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000


Services provided by:



A Program of ASTM International

IVA

Status of Reported Tests



ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

IVA

Candidate Precision as Represented by Pooled S

