

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	6	13.333
Invalid	2	4.444
Special Case. Do Not MTAC	1	2.222
Valid	36	80.000
Total Reported Tests	45	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20200409	ACC-27975	No Explanation Available
2	20200416	ACC-28037	No Explanation Available
3	20200424	ACC-28091	No Explanation Available
4	20200506	ACC-28161	Single Position Lobe Failure On Intake Camshaft
5	20200602	ACC-28164	No Explanation Available
6	20200619	ACC-28395	No Explanation Available
7	20200708	ACC-28461	No Explanation Available
8	20200724	ACC-28537	No Explanation Available
9	20200819	ACC-28638	Test Aborted Due To Lobe Failure.

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	.
Formulations	.	.
Labs	.	.
Stands	.	.

Pass/Fail
FE <=400

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	36	22	61.1111
OCT 2020	ILSAC - All Parameters	36	22	61.1111
OCT 2020	ILSAC, AVLI	36	22	61.1111
OCT 2020	ILSAC, AVLI (Without SA)	36	19	52.7778
OCT 2020	ILSAC, FE	36	32	88.8889
OCT 2020	ILSAC, FE (Without SA)	36	28	77.7778
All	All Categories, All Parameters	212	150	70.7547
All	ILSAC - All Parameters	212	150	70.7547
All	ILSAC, AVLI	212	152	71.6981
All	ILSAC, AVLI (Without SA)	212	144	67.9245
All	ILSAC, FE	212	194	91.5094
All	ILSAC, FE (Without SA)	212	187	88.2075



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IVB

Status of Reported Tests



