

VIB 0W-20/5W-20 - Report Period: OCT 2000
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	3	8.571
Cancelled	2	5.714
Invalid	4	11.429
Special Case. Do Not MTAC	1	2.857
Valid	25	71.429
Total Reported Tests	35	100.000

VIB 0W-20/5W-20 - Report Period: OCT 2000
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20000417	RSI-260236	Lab Declaration Astm Special Case,do Not Include Inmtac
2	20000501	RSI-260318	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
3	20000511	RSI-260385	Prior To Completion At Sponsor Request
4	20000515	RSI-260400	Prior To Completion At Sponsor Request
5	20000619	RSI-260574	Prior To Completion,reason Being Beyond Control Of The Lab
6	20000628	RSI-260630	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
7	20000706	RSI-260676	Prior To Completion,reason Being Beyond Control Of The Lab
8	20000724	RSI-260777	Operationally Invalid,lab Declares Invalid
9	20000816	RSI-260896	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
10	20000825	RSI-260960	Prior To Completion,reason Being Beyond Control Of The Lab

VIB 0W-20/5W-20 - Report Period: OCT 2000
Replicate Database Report

Components of Replicate Database	OCT 2000	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	2
Stands	.	3

VIB 0W-20/5W-20 - Report Period: OCT 2000
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI1	2	0.12748	0.35693
All	FEI2	2	0.18358	0.51401
All	FEI1 (Without SA)	2	0.13086	0.36642
All	FEI2 (Without SA)	2	0.16688	0.46727

VIB 0W-20/5W-20 - Report Period: OCT 2000
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2000	All Categories, All Parameters	25	1	4.0000
OCT 2000	GF-4 - All Parameters	25	1	4.0000
OCT 2000	GF-4, FEI1	25	2	8.0000
OCT 2000	GF-4, FEI1 (Without SA)	25	4	16.0000
OCT 2000	GF-4, FEI2	25	4	16.0000
OCT 2000	GF-4, FEI2 (Without SA)	25	4	16.0000
OCT 2000	SL - All Parameters	25	7	28.0000
OCT 2000	SL, FEI1	25	12	48.0000
OCT 2000	SL, FEI1 (Without SA)	25	11	44.0000
OCT 2000	SL, FEI2	25	8	32.0000
OCT 2000	SL, FEI2 (Without SA)	25	9	36.0000
All	All Categories, All Parameters	58	1	1.7241
All	GF-4 - All Parameters	58	1	1.7241
All	GF-4, FEI1	58	3	5.1724
All	GF-4, FEI1 (Without SA)	58	4	6.8966
All	GF-4, FEI2	58	5	8.6207
All	GF-4, FEI2 (Without SA)	58	8	13.7931
All	SL - All Parameters	58	14	24.1379
All	SL, FEI1	58	29	50.0000
All	SL, FEI1 (Without SA)	58	26	44.8276
All	SL, FEI2	58	18	31.0345
All	SL, FEI2 (Without SA)	58	22	37.9310


VIB 0W—20/5W—20

Status of Reported Tests



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S

