

VIB 0W-20/5W-20 - Report Period: OCT 2001
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	2	4.444
Cancelled	5	11.111
Invalid	1	2.222
Valid	37	82.222
Total Reported Tests	45	100.000

VIB 0W-20/5W-20 - Report Period: OCT 2001
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20010517	RSI-263143	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
2	20010530	RSI-263236	Prior To Completion At Sponsor Request
3	20010605	RSI-263268	Prior To Completion At Sponsor Request
4	20010612	RSI-263312	Prior To Completion At Sponsor Request
5	20010625	RSI-263393	Prior To Completion At Sponsor Request
6	20010706	RSI-263465	Operationally Invalid,by Lab
7	20010912	RSI-263886	Operationally Invalid,by Lab
8	20010921	RSI-263961	Prior To Completion At Sponsor Request

VIB 0W-20/5W-20 - Report Period: OCT 2001
Replicate Database Report

Components of Replicate Database	OCT 2001	All Periods
Number of Tests	2	9
Formulations	1	4
Labs	2	4
Stands	2	7

VIB 0W-20/5W-20 - Report Period: OCT 2001
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2001	FEI1	1	0.31820	0.89095
OCT 2001	FEI2	1	0.00707	0.01980
OCT 2001	FEI1 (Without SA)	1	0.14142	0.39598
OCT 2001	FEI2 (Without SA)	1	0.01414	0.03960
All	FEI1	5	0.16469	0.46114
All	FEI2	5	0.26165	0.73263
All	FEI1 (Without SA)	5	0.13529	0.37881
All	FEI2 (Without SA)	5	0.21962	0.61494

VIB 0W-20/5W-20 - Report Period: OCT 2001
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2001	All Categories, All Parameters	37	5	13.5135
OCT 2001	GF-4 - All Parameters	37	5	13.5135
OCT 2001	GF-4, FEI1	37	10	27.0270
OCT 2001	GF-4, FEI1 (Without SA)	37	8	21.6216
OCT 2001	GF-4, FEI2	37	7	18.9189
OCT 2001	GF-4, FEI2 (Without SA)	37	7	18.9189
OCT 2001	SL - All Parameters	37	19	51.3514
OCT 2001	SL, FEI1	37	26	70.2703
OCT 2001	SL, FEI1 (Without SA)	37	20	54.0541
OCT 2001	SL, FEI2	37	21	56.7568
OCT 2001	SL, FEI2 (Without SA)	37	15	40.5405
All	All Categories, All Parameters	117	8	6.8376
All	GF-4 - All Parameters	117	8	6.8376
All	GF-4, FEI1	117	18	15.3846
All	GF-4, FEI1 (Without SA)	117	17	14.5299
All	GF-4, FEI2	117	20	17.0940
All	GF-4, FEI2 (Without SA)	117	24	20.5128
All	SL - All Parameters	117	44	37.6068
All	SL, FEI1	117	67	57.2650
All	SL, FEI1 (Without SA)	117	59	50.4274
All	SL, FEI2	117	53	45.2991
All	SL, FEI2 (Without SA)	117	50	42.7350


VIB 0W—20/5W—20

Status of Reported Tests



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S

