

VIB 0W-20/5W-20 - Report Period: APR 2002
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Cancelled	5	14.286
Invalid	2	5.714
Valid	28	80.000
Total Reported Tests	35	100.000

VIB 0W-20/5W-20 - Report Period: APR 2002
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20011101	RSI-264247	Operationally Invalid,lab Declares Invalid
2	20011116	RSI-264363	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
3	20011121	RSI-264399	Prior To Completion At Sponsor Request
4	20011210	RSI-264528	Prior To Completion At Sponsor Request
5	20020110	RSI-264734	Prior To Completion At Sponsor Request
6	20020111	RSI-264739	Prior To Completion At Sponsor Request
7	20020111	RSI-264740	Prior To Completion At Sponsor Request

VIB 0W-20/5W-20 - Report Period: APR 2002
Replicate Database Report

Components of Replicate Database	APR 2002	All Periods
Number of Tests	2	11
Formulations	1	5
Labs	1	5
Stands	2	9

VIB 0W-20/5W-20 - Report Period: APR 2002
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2002	FEI1	1	0.10607	0.29698
APR 2002	FEI2	1	0.09192	0.25739
APR 2002	FEI1 (Without SA)	1	0.08485	0.23759
APR 2002	FEI2 (Without SA)	1	0.15556	0.43558
All	FEI1	6	0.15645	0.43807
All	FEI2	6	0.24179	0.67700
All	FEI1 (Without SA)	6	0.12827	0.35915
All	FEI2 (Without SA)	6	0.21030	0.58885

VIB 0W-20/5W-20 - Report Period: APR 2002
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2002	All Categories, All Parameters	28	0	0.0000
APR 2002	GF-4 - All Parameters	28	0	0.0000
APR 2002	GF-4, FEI1	28	2	7.1429
APR 2002	GF-4, FEI1 (Without SA)	28	1	3.5714
APR 2002	GF-4, FEI2	28	0	0.0000
APR 2002	GF-4, FEI2 (Without SA)	28	0	0.0000
APR 2002	SL - All Parameters	28	4	14.2857
APR 2002	SL, FEI1	28	7	25.0000
APR 2002	SL, FEI1 (Without SA)	28	8	28.5714
APR 2002	SL, FEI2	28	12	42.8571
APR 2002	SL, FEI2 (Without SA)	28	11	39.2857
All	All Categories, All Parameters	145	8	5.5172
All	GF-4 - All Parameters	145	8	5.5172
All	GF-4, FEI1	145	20	13.7931
All	GF-4, FEI1 (Without SA)	145	18	12.4138
All	GF-4, FEI2	145	20	13.7931
All	GF-4, FEI2 (Without SA)	145	24	16.5517
All	SL - All Parameters	145	48	33.1034
All	SL, FEI1	145	74	51.0345
All	SL, FEI1 (Without SA)	145	67	46.2069
All	SL, FEI2	145	65	44.8276
All	SL, FEI2 (Without SA)	145	61	42.0690


VIB 0W—20/5W—20

Status of Reported Tests



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S

