

VIB 0W-30/5W-30 - Report Period: OCT 2002
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	1	5
Cancelled	2	10
Valid	17	85
Total Reported Tests	20	100

VIB 0W-30/5W-30 - Report Period: OCT 2002
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20020627	RSI-266293	Operationally Invalid,by Lab
2	20020903	RSI-266937	Prior To Completion At Sponsor Request
3	20020909	RSI-267025	Prior To Completion At Sponsor Request

VIB 0W-30/5W-30 - Report Period: OCT 2002
Replicate Database Report

Components of Replicate Database	OCT 2002	All Periods
Number of Tests	.	28
Formulations	.	13
Labs	.	5
Stands	.	15

VIB 0W-30/5W-30 - Report Period: OCT 2002
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI1	15	0.27968	0.78311
All	FEI2	15	0.22135	0.61978
All	FEI1 (Without SA)	15	0.26168	0.73270
All	FEI2 (Without SA)	15	0.24838	0.69547

VIB 0W-30/5W-30 - Report Period: OCT 2002
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2002	All Categories, All Parameters	17	2	11.7647
OCT 2002	GF-4 - All Parameters	17	2	11.7647
OCT 2002	GF-4, FEI1	17	3	17.6471
OCT 2002	GF-4, FEI1 (Without SA)	17	0	0.0000
OCT 2002	GF-4, FEI2	17	6	35.2941
OCT 2002	GF-4, FEI2 (Without SA)	17	5	29.4118
OCT 2002	SL - All Parameters	17	7	41.1765
OCT 2002	SL, FEI1	17	10	58.8235
OCT 2002	SL, FEI1 (Without SA)	17	6	35.2941
OCT 2002	SL, FEI2	17	10	58.8235
OCT 2002	SL, FEI2 (Without SA)	17	9	52.9412
All	All Categories, All Parameters	396	34	8.5859
All	GF-4 - All Parameters	396	34	8.5859
All	GF-4, FEI1	396	89	22.4747
All	GF-4, FEI1 (Without SA)	396	80	20.2020
All	GF-4, FEI2	396	61	15.4040
All	GF-4, FEI2 (Without SA)	396	70	17.6768
All	SL - All Parameters	396	108	27.2727
All	SL, FEI1	396	193	48.7374
All	SL, FEI1 (Without SA)	396	178	44.9495
All	SL, FEI2	396	142	35.8586
All	SL, FEI2 (Without SA)	396	147	37.1212


VIB 0W—30/5W—30

Status of Reported Tests



VIB 0W—30/5W—30

Candidate Precision as Represented by Pooled S



VIB 0W—30/5W—30

Candidate Precision as Represented by Pooled S

